

Figure 1: Different types of structural connections.

Figure 2: A vertical diagram showing a structural member with various loading conditions and boundary conditions.

Figure 3: A horizontal diagram showing a structural member with various loading conditions and boundary conditions.




Figure 4: A vertical diagram showing a structural member with various loading conditions and boundary conditions.

Figure 5: A horizontal diagram showing a structural member with various loading conditions and boundary conditions.



ZHONG ZE

SDZT/ZZ 1.020.1

第 2 号, 第 DY581-6 号

第 1 页, 共 5 页

标准号

图例


图例

图例

图例

图例


图例



图例

图例

图例





# 检测报告

山环检字(2023)第DY581-6号


第 2 页 共 5 页

挥发性有机物 (非甲烷总烃)	浓度	mg/m <sup>3</sup>	54.4	48.7	51.9
	排放速率	kg/h	0.073	0.071	0.071
标干流量		Nm <sup>3</sup> /h	1350	1463	1359



# 检测报告

平均动压	Pa	2	3	3
平均静压	Pa	0.00	0.00	0.00
平均风速	m/s	0.00	0.00	0.00





ZHONG ZE

SDZZ/ZLJL-029-4

# 检测报告

山中检字(2023)第DY581-6号

第 1 页 共 5 页

挥发性有机物  
(非甲烷总烃)


浓度

mg/m<sup>3</sup>

3.74×10<sup>3</sup>

3.77×10<sup>3</sup>

3.70×10<sup>3</sup>





# 检测

## 三、质控措施及质控结果

### 3.1 质控措施

1. 本次检测废气，对于检测项目采用相应采样和检测标准及方法。

2. 本次检测所用试剂均经国家环保部检测中心检测合格。

检测日期	项目	标况	样品分析 检测值	样品分析前 检测值	样品分析 修正值	样品分析后 检测值
2023.08.11	颗粒物	154.5985	6.85	153.6286	-0.16	

# 报告说明

1.报告无本公司检验检测专用章、骑缝章无效

单位名称：山东中泽环境检测有限公司

通讯地址：山东省东营市东营区西三路217号东营市胜利大学生创业园

5号楼

邮 编：257000

联系电话：0546-7787870

电子邮箱：zhongzejiance@163.com